

2011 ICD-9-CM CODING UPDATES Effective October 1, 2010

DIAGNOSIS CODES NOW REQUIRING ADDITIONAL DIGITS

INVALID CODE	DESCRIPTION	NEW CODE(S)	DESCRIPTION
275.0	Disorders of iron metabolism	275.01	Hereditary hemochromatosis
		275.02	Hemochromatosis due to repeated red blood cell transfusions
		275.03	Other hemochromatosis
		275.09	Other disorders of iron metabolism
276.6	Fluid overload	276.61	Transfusion associated circulatory overload
		276.69	Other fluid overload
287.4	Secondary thrombocytopenia	287.41	Posttransfusion purpura
		287.49	Other secondary thrombocytopenia
488.0	Influenza due to identified avian influenza virus	488.01	Influenza due to identified avian influenza virus with pneumonia
		488.02	Influenza due to identified avian influenza virus with other respiratory manifestations
		488.09	Influenza due to identified avian influenza virus with other manifestations
488.1	Influenza due to identified novel H1N1 influenza virus	488.11	Influenza due to identified novel H1N1 influenza virus with pneumonia
		488.12	Influenza due to identified novel H1N1 influenza virus with other respiratory manifestations
		488.19	Influenza due to identified novel H1N1 influenza virus with other manifestations
752.3	Other anomalies of uterus	752.31	Agenesis of uterus
		752.32	Hypoplasia of uterus
		752.33	Unicornuate uterus
		752.34	Bicornuate uterus
		752.35	Septate uterus
		752.36	Arcuate uterus
		752.39	Other anomalies of uterus
786.3	Hemoptysis	786.30	Hemoptysis, unspecified
		786.31	Acute idiopathic pulmonary hemorrhage in infants [AIPHI]
		786.39	Other hemoptysis

INVALID CODE	DESCRIPTION	NEW CODE(S)	DESCRIPTION
787.6	Incontinence of feces	787.60	Full incontinence of feces
		787.61	Incomplete defecation
		787.62	Fecal smearing
		787.63	Fecal urgency
970.8	Poisoning by other specified central nervous system stimulants	970.81	Poisoning by cocaine
		970.89	Poisoning by other central nervous system stimulants
999.6	ABO Incompatibility reaction due to transfusion of blood or blood products	999.60	ABO incompatibility reaction, unspecified
		999.61	ABO incompatibility with hemolytic transfusion reaction not specified as acute or delayed
		999.62	ABO incompatibility with acute hemolytic transfusion reaction
		999.63	ABO incompatibility with delayed hemolytic transfusion reaction
		999.69	Other ABO incompatibility reaction
		999.70	Rh incompatibility reaction, unspecified
999.7	Rh and other non-ABO incompatibility reaction due to transfusion of blood or blood products	999.71	Rh incompatibility with hemolytic transfusion reaction not specified as acute or delayed
		999.72	Rh incompatibility with acute hemolytic transfusion reaction
		999.73	Rh incompatibility with delayed hemolytic transfusion reaction
		999.74	Other Rh incompatibility reaction
		999.75	Non-ABO incompatibility reaction, unspecified
		999.76	Non-ABO incompatibility with hemolytic transfusion reaction not specified as acute or delayed
		999.77	Non-ABO incompatibility with acute hemolytic transfusion reaction
		999.78	Non-ABO incompatibility with delayed hemolytic transfusion reaction
		999.79	Other non-ABO incompatibility reaction
		V25.1	Encounter for insertion of intrauterine contraceptive device
V25.12	Encounter for removal of intrauterine contraceptive device		
V25.13	Encounter for removal and reinsertion of intrauterine contraceptive device		
V85.4	Body mass index 40 and over, adult	V85.41	Body mass index, 40.0-44.9, adult
		V85.42	Body mass index, 45.0-49.9, adult
		V85.43	Body mass index, 50.0-59.9, adult
		V85.44	Body mass index, 60.0-69.9, adult
		V85.45	Body mass index, 70 and over, adult

NEW DIAGNOSIS CODES

Diagnosis Code	Description
237.73	Schwannomatosis
237.79	Other neurofibromatous
278.03	Obesity hypoventilation syndrome
315.35	Childhood onset fluency disorder
447.70	Aortic ectasia, unspecified site
447.71	Thoracic aortic ectasia
447.72	Abdominal aortic ectasia
447.73	Thoracoabdominal aortic ectasia
560.32	Fecal impaction
724.03	Spinal stenosis, lumbar region, with neurogenic claudication
752.43	Cervical agenesis
752.44	Cervical duplication
752.45	Vaginal agenesis
752.46	Transverse vaginal septum
752.47	Longitudinal vaginal septum
780.33	Post traumatic seizures
780.66	Febrile nonhemolytic transfusion reaction
784.52	Fluency disorder in conditions classified elsewhere
784.92	Jaw Pain
799.51	Attention or concentration deficit
799.52	Cognitive communication deficit
799.53	Visuospatial deficit
799.54	Psychomotor deficit
799.55	Frontal lobe and executive function deficit
799.59	Other signs and symptoms involving cognition
999.80	Transfusion reaction, unspecified
999.83	Hemolytic transfusion reaction, incompatibility, unspecified
999.84	Acute hemolytic transfusion reaction, incompatibility unspecified
999.85	Delayed hemolytic transfusion reaction, incompatibility unspecified
E000.2	Volunteer activity
V11.4	Personal history of combat and operational stress reaction
V13.23	Personal history of vaginal dysplasia
V13.24	Personal history of vulvar dysplasia
V13.62	Personal history of other (corrected) congenital malformations of genitourinary system
V13.63	Personal history of (corrected) congenital malformations of nervous system
V13.64	Personal history of (corrected) congenital malformations of eye, ear, face and neck
V13.65	Personal history of (corrected) congenital malformations of heart and circulatory system
V13.66	Personal history of (corrected) congenital malformations of respiratory system
V13.67	Personal history of (corrected) congenital malformations of digestive system
V13.68	Personal history of (corrected) congenital malformations of integument, limbs, and musculoskeletal systems
V15.53	Personal history of retained foreign body fully removed
V49.86	Do not resuscitate status
V49.87	Physical restraints status
V62.85	Homicidal ideation
V88.11	Acquired total absence of pancreas
V88.12	Acquired partial absence of pancreas

NEW DIAGNOSIS CODES (cont'd)

Diagnosis Code	Description
V90.01	Retained depleted uranium fragments
V90.09	Other retained radioactive fragments
V90.10	Retained metal fragments , unspecified
V90.11	Retained magnetic metal fragments
V90.12	Retained nonmagnetic metal fragments
V90.2	Retained plastic fragments
V90.31	Retained animal quills or spines
V90.32	Retained tooth
V90.33	Retained wood fragments
V90.39	Other retained organic fragments
V90.81	Retained glass fragments
V90.83	Retained stone or crystalline fragments
V90.89	Other specified retained foreign body
V90.9	Retained foreign body, unspecified material
V91.00	Twin gestation, unspecified number of placenta, unspecified number of amniotic sacs
V91.01	Twin gestation, monochorionic/monoamniotic (one placenta, one amniotic sac)
V91.02	Twin gestation, monochorionic/diamniotic (one placenta, two amniotic sacs)
V91.03	Twin gestation, dichorionic/diamniotic (two placentae, two amniotic sacs)
V91.09	Twin gestation, unable to determine number of placenta and number of amniotic sacs
V91.10	Triplet gestation, unspecified number of placenta and unspecified number of amniotic sacs
V91.11	Triplet gestation, with two or more monochorionic fetuses
V91.12	Triplet gestation, with two or more monoamniotic fetuses
V91.19	Triplet gestation, unable to determine number of placenta and number of amniotic sacs
V91.20	Quadruplet gestation, unspecified number of placenta and unspecified number of amniotic sacs
V91.21	Quadruplet gestation, with two or more monochorionic fetuses
V91.22	Quadruplet gestation, with two or more monoamniotic fetuses
V91.29	Quadruplet gestation, unable to determine number of placenta and number of amniotic sacs
V91.90	Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs
V91.91	Other specified multiple gestation, with two or more monochorionic fetuses
V91.92	Other specified multiple gestation, with two or more monoamniotic fetuses
V91.99	Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs

REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	New Description	Former Description
307.0	Adult onset fluency disorder	Stuttering
629.81	Recurrent pregnancy loss without current pregnancy	Habitual aborter without current pregnancy
646.30	Recurrent pregnancy loss, unspecified as to episode of care or not applicable	Habitual aborter unspecified as to episode of care
646.31	Recurrent pregnancy loss, delivered, with or without mention of antepartum condition	Habitual aborter with or without mention of antepartum condition
646.33	Recurrent pregnancy loss, antepartum condition or complication	Habitual aborter, antepartum condition or complication
724.02	Spinal stenosis, lumbar region, without neurogenic claudication	Spinal stenosis of lumbar region
E017.0	Roller coaster riding	Activities involving roller coaster riding
V07.51	Use of selective estrogen receptor modulators (SERMs)	Prophylactic use of selective estrogen receptor modulators (SERMs)
V07.52	Use of aromatase inhibitors	Prophylactic use of aromatase inhibitors
V07.59	Use of other agents affecting estrogen receptors and estrogen levels	Prophylactic use of other agents affecting estrogen receptors and estrogen levels
V07.8	Other specified prophylactic or treatment measure	Need for other specified prophylactic measure
V07.9	Unspecified prophylactic or treatment measure	Need for unspecified prophylactic measure
V13.61	Personal history of (corrected) hypospadias	Personal history of hypospadias
V13.69	Personal history of other (corrected) congenital malformations	Personal history of other congenital malformations
V26.35	Encounter for testing of male partner of female with recurrent pregnancy loss	Encounter for testing of male partner of habitual aborter

Source: Specialty Laboratories, 2011 ICD-9-CM Coding Updates
ICD-9-CM Coding Manual, 2011 Edition

2011 Changes to ICD-9-CM Codes Effective October 1, 2010

<p>Effective Date</p>	<p>The Health Insurance Portability and Accountability Act (HIPAA) Transaction and Code Set Rule requires the use of national medical code sets that are valid at the time that the service is provided. The ICD-9-CM is a national medical code set. Effective for dates of service on or after October 1, 2010, ICD-9-CM 2011 changes go into effect. There is no 90-day grace period for the annual ICD-9-CM update. Physicians, practitioners and suppliers must bill using diagnosis codes that are valid for that date of service.</p>
<p>ICD-9-CM 2011</p>	<p>Due to changes in the ICD-9-CM 2009 Manual, specificity requirements for certain ICD-9-CM codes have changed. Examples of these changes are listed below. Consult the most current ICD-9-CM manual for a comprehensive list of changes.</p> <ul style="list-style-type: none"> ○ 488.1 – Influenza due to identified novel H1N1 influenza virus – requires an additional digit in order to be coded correctly. <ul style="list-style-type: none"> 488.11 – Influenza due to identified novel H1N1 influenza virus with pneumonia 488.12 – Influenza due to identified novel H1N1 influenza virus with other respiratory manifestations 488.19 – Influenza due to identified novel H1N1 influenza virus with other manifestations ○ 275.0 – Disorders of iron metabolism – requires an additional digit in order to be coded correctly. <ul style="list-style-type: none"> 275.01 – Hereditary hemochromatosis 275.02 – Hemochromatosis due to repeated red blood cell transfusions 275.03 – Other hemochromatosis 275.09 – Other disorders of iron metabolism ○ 276.6 – Fluid overload – requires an additional digit in order to be coded correctly. <ul style="list-style-type: none"> 276.61 – Transfusion associated circulatory overload 276.69 – Other fluid overload
<p>Other 2011 additions</p>	<p>Effective October 1, 2010 there are over 170 ICD-9 code additions and revisions to the ICD-9-CM book. The following codes are a sample of the more commonly used diagnoses. Consult the most current ICD-9-CM manual for a comprehensive list of new codes.</p> <ul style="list-style-type: none"> ○ 784.92 – Jaw pain ○ V13.23 – Personal history of vaginal dysplasia ○ V13.24 – Personal history of vulvar dysplasia <p>*****Consult the 2011 edition of the ICD-9-CM manual for a comprehensive list of changes. *****</p>

Note: Diagnoses must always be documented in the patient's medical record. The ultimate responsibility for correct coding belongs to the ordering physician.